

Export Department 2020

SABA BATTERY at a GLANCE

LEAD production

of Battery Recycling
Plant

REFRECTORY Materials

PRODUCTION of different type of Batteries



SABA BATTERY INDUSTRIAL GROUP **COPPER** production

CONATRUCTION
of lead acid car
batteries production
plant

construction of Lithium

Batteries



Established in 1958

- SABA Battery with more than half a century of experience is one of the leading battery manufacturing company in I.R.IRAN produce and provide more than half of the yearly car batteries consumption of Iranian market. With production capacity of 8 million battery a year. SABA Battery's product exported to many countries such as; Afghanistan, Uzbekistan, Tajikistan, Iraq, UAE, Qatar, Turkey, Azerbaijan, Lebanon, Syria, etc.
- SABA Battery produces batteries and other relevant products in the field of renewable energy by using advanced and world class machineries and technologies, expert and experienced engineers with high quality raw materials.




SABA Battery's range of products in battery's section cover all types of MF and LM car batteries with different amperage from 30 Amps to 200 Amps for light and heavy vehicles, variety of rechargeable lithium batteries, various types of accumulators for forklift trucks, various types of industrial batteries and batteries used for different and special application.



SABA Battery is capable of Constructing Complete Automotive and Semi Automotive Battery Production Plant, Complete Automotive Lead Acid battery Recycling Plant and complete Lithium production plant with high efficiency and latest technology.


Battery Product

- **STARTER**
- Industrial
 - VRLA
 - **OPZ**
 - OPZS
- Saba Smart
- **Lithium**










Starter Batteries

- MF & LM BATTERIES
- Production Capicity:10 Million
- Annual Production: 7 Million
- Wide range of capacity
- Multi Brands (over 60 Brands)
- Competitive Pricing
- Reliable after sales services





MF Starter Batteries

- Start from 30 Amps to 200 Amps
- European Standard
- Japanese Standard





SABA BATTERY INDUSTRIAL GROUP Starter Batteries Range of products

TYPE	CAPACITY (Ah)	CCA (A)			W(witho	8	Le	×	не	Produ
		IEC	m	RC(min)	Weight (Kg) (without electrolyte)	Weight (Kg)	Length (mm)	Width (mm)	Height (mm)	Production method
	55	320	420	105	10.25	15.1	242	175	190	
	60	380	500	110	10.6	16.9	260	175	227	EXPANDING
	66	450	570	115	12	17.5	276	175	190	
	70	470	540	115	12	17.75	260	175	227	
Z	74	520	640	120	13	18.2	276	175	190	
LM (Low Maintenance)	88	540	660	125	13.5	20.200	301	170	225	
× ×	90	620	740	130	15	21.5	380	175	190	
ainte	100	440	500	160	21	30.5	404	175	235	CASTING
nanc	120	500	560	170	25	38	510	180	235	
e e	120	520	580	180	23	33	404	175	235	
	150	580	660	210	30.5	47	540	220	240	
	170	700	740	270	32	48	525	215	240	
	190	720	760	280	33	49	525	215	240	
	200	720	760	280	34	50	525	215	240	

	GAPACITY (Ah)	CCA (A)		-	We (witho	×	Le	W	He	Produ
TYPE		IEC	EN	RC(min)	Weight (Kg) (without electrolyte)	Weight (Kg)	Length (mm)	Width (mm)	Height (mm)	Production method
	40	210	310	70	7.75	12.2	207	175	190	*
	50	290	380	100	8.5	12.4	207	175	190	
	55	320	420	105	10.25	15.1	242	175	190	
Z Z	60	380	500	110	11.1	15.5	242	175	190	EXI
MF (Maintenance Free)	60FX	380	500	110	10.6	16.9	260	175	222	
itenan	66	450	570	115	12	17.5	276	175	190	EXPANDING
ce Fre	70FX	470	540	115	12	17.4	260	175	222	N _G
ë)	74	520	640	120	12.8	18.2	276	175	190	3
	90	620	740	130	14.8	21.5	355	175	190	
	150	900	950	290	29.5	41	525	220	235	
	170	950	1000	320	30	43	525	220	235	

Voltage 12V

Voltage 12V

LM Starter Batteries

- Expand and Punch Technology
- > 55 Amps to 200 Amps



VRLA Batteries

Valve Regulated Lead Acid Battery

- Long Life
- UPS
- Telecommunication
- 4.5 Amps to 3,000 Amps





OPZ Batteries

- Sealed
- 110 Amps to 1500 Amps Gel Technology
- Tubular Plates
- IEC60896-21 22






PZS-OPZS BATTERIES

- Stationary Batteries
- High Quality
- Wide range of Products
- **Easy installation**
- Long life
- From 2V200ah to 2V3000AH










Stationary Flooded-Tubular Batteries 200 - 3000 Ah OPzS Series








SABA SMART (Deep Cycle) Series

- ▶ 6V-200Ah
- ▶ 12V-120Ah
 - Tubular Positive Plates, low antimony alloy for decreasing corrosion and elimination of active material effusion.
 - Use flooded acid
 - Flat negative plates with low antimony alloy
 - Low preservation
 - Flooded Battery

UPS INVERTER







Lithium Batteries

- Power Banks
- BTS
- Electric Vehicles
- Solar Systems
- Etc.





Wind Turbine

- Design and Production of wind turbine power plants from A to Z
- Tower
- Turbine and Generator
- Charge Controller & Inverter
- Lithium Battery pack








Combined Heat Plants

- Design and Production of Solar
 Systems and Hybrid systems
 from A to Z
- > CHP (Portable and fixed)







Water Purifier

- Solar plates
- Solar Charge Controller
- Inverter
- RO Pack
- Safety and Security Systems
- Fixed And Portable








Gold and Silver Production

Sub Production of Recycling Factory





Sodium Sulfate

- ▶ 16 Tons Per Day
- Increasing Efficiency of Kettles






LEAD

- Type of Technologies
 - Electrolyte
 - Kettle & Furnace
- Lead Production from
 - Recycling of Scrap batteries
 - Scrap lead
 - Concentrate material






Lead Products

- Lead 99.9999
- Lead Alloys
- **▶ 60,000 Tons Annualy**

- Side Products
- PP Chips
 - White
 - Black










Copper Cathode

- Production from
 - Scrap Copper
 - Concentrate

Annual Production 6,000 Tons 99.99Purity







Antimony


- > 99%Purity
- **▶** To increase Lead stability






Refractory Products

- Breaks
- Mass
- Cements





Engineering and Consultancy

- Full factory and equipment Supply
- PLC and Planning
- Construction and operation
- Consultancy and planning





Contact Person

Ali Hosseini Business Development Manager Saba Battery Industrial Group (SBIG)

E-mail Address:hosseini.sababattery@gmail.com

Mobile IR:+98 912 530 0183

Whats App:+98 912 530 0183

Tel:+98 21 22567903

Fax:+98 21 22585336

P.o.Box:19575-361



Thanks For your kind Attention

TACCOUNT